Neuroscience Letters, 112 (1990) 356–360
Elsevier Scientific Publishers Ireland Ltd.

AUTHOR INDEX

Ackerman, R.H., see Nakajima, Y., 59
Adachi, T., Inanami, O., Ohno, K. and Sato, A., Responses of regional cerebral blood flow following focal electrical stimulation of the nucleus basalis of Meynert and the medial septum using the [^{14}C]iodoantipyrine method in rats, 263
Akagi, Y., see Okamoto, S., 137
Akai, M., see Yamamoto, T., 167
Akiyama, H., see Yamada, T., 161
Allan, R.D., Drew, D.I.B. and Johnston, G.A.R., Thioether analogues of baclofen, phaclofen en saclofen, 223
Alpert, N.M., see Nakajima, Y., 59
Atrup, U., see Lücke, A., 190
Anderton, P.J., see Cooper, E.J., 127
Aronstam, R.S., see Martin, D.C., 99

Barat, A., Ramos, M., Prada, C. and Ramírez, G., Asymmetric acetylcholinesterase is absent from chick retina, but present in choroid, ciliary muscles and iris, 302
Barolet, A.W., see Baskys, A., 76
Baskys, A., Bernstein, N.K., Barolet, A.W. and Carlen, P.L., NMDA and quisqualate reduce a Ca-dependent K^+ current by a protein kinase-mediated mechanism, 76
Bassant, M.H., see Godefroy, F., 307
Bellmann, R., see Marksteiner, J., 143
Berardelli, A., Inghilleri, M., Cruccu G. and Manfredi, M., Descending volley after electrical and magnetic transcranial stimulation in man, 54
Bernardi, G., see Marciani, M.G., 48
Bernstein, N.K., see Baskys, A., 76
Biggio, G., see Concas, A., 87
Binz, H., Zurhorst, Ch., Zimmermann, E. and Rahmann, H., Neuronal substrates involved in processing of communicative acoustic signals in tree shrews: a 2-deoxyglucose study, 25
Blomgren, K. and Karlsson, J.-O., Calpain and calpastatin activity in the optic pathway, 179
Brammer, M., see Hajimohammadreza, I., 323
Burcher, E., see Geraghty, D.P., 276

Carlen, P.L., see Baskys, A., 76
Chiba, T., Nakamura, Y. and Sakiyama, S., Developmental changes of expression of non-muscle (β and γ) actin mRNAs in the central nervous system studied by in situ hybridization, 31
Chihara, K., see Kagotinai, Y., 37
Clifford, D.B., see Izumi, Y., 251
Compton, R.P., see Monahan, J.B., 328
Concas, A., Diazepam enhances bicuculline-induced increase of *t*-[^{35}S]butylbicyclophosphorothionate binding in unwashed membrane preparations from rat cerebral cortex, 87
Cooper, E.J., Millar, T.J. and Anderton, P.J., Distribution of [^{3}H]MK-801 binding in the turtle retina: an autoradiographical study, 127
Cordi, A.A., Monahan, J.B., 328
Correia, J.A., see Nakajima, Y., 59
Crain, B., see Shuaib, A., 149
Cruccu, G., see Berardelli, A., 54

Daikoku, S., see Kagotani, Y., 37
Dakin, S.R.G. and Ruddock, K.H., Terbium simulates the action of calcium on electrophysiological activity in the isolated fish retina, 82
Davis, J.N., see Shuaib, A., 149
De Boer, P., see Westerink, B.H.C., 297
Douglas, W.W., see Taraskevich, P.S., 205
Drew, D.I.B., see Allan, R.D., 223

Evangelista, S., Renzi, D., Mantellini, P., Surrenti, C. and Meli, A., Duodenal SP-like immunoreactivity is decreased in experimentally-induced duodenal ulcers, 352

Falke, N., see Gaymann, W., 114
Ferrer, I., see Graus, F., 14
Feuerstein, G., see Shuaib, A., 149
Fideu, M.D., see Torres, M., 343
Fu, T., see Zhang, W., 199
Fujimori, A., Saito, A., Kimura, S. and Goto, K., Release of calcitonin gene-related peptide (CGRP) from capsaicin-sensitive vasodilator nerves in the rat mesenteric artery, 173

Gallagher, J.P., see Hasuo, H., 234
Gaymann, W. and Falke, N., Galanin lacks binding sites in the porcine pituitry and has no detectable effect on oxytocin and vasopressin release from rat neurosecretory endings, 114
Geraghty, D.P., Livett, B.G., Rogerson, F.M. and Burcher, E., A novel substance P binding site in bovine adrenal medulla, 276
Goadsby, P.J. and Shelley, S., High-frequency sti-

0304-3940/90/$ 03.50 © 1990 Elsevier Scientific Publishers Ireland Ltd.

mulation of the facial nerve results in local cortical release of vasoactive intestinal polypeptide in the anesthetised cat, 282
Godefroy, F., Bassant, M.H., Sarhan, H., Lamour, Y. and Weil-Fugazza, J., Regional distribution of 3-*O*-methyl-DOPA in the cortex and subcortical structures in the rat: effect of aging, 307
Goto, K., see Fujimori, A., 173
Goudsmit, E., Luine, V.N. and Swaab, D.F., Testosterone locally increases vasopressin content but fails to restore choline acetyltransferase activity in other regions in the senscent male rat brain, 290
Graus, F. and Ferrer, I., Analysis of a neuronal antigen (Hu) expression in the developing rat brain detected by autoantibodies from patients with paraneoplastic encephalomyelitis, 14
Gysling, K., see Sierralta, J., 313

Hajimohammadreza, I. and Brammer, M., Brain membrane fluidity and lipid peroxidation in Alzheimer's disease, 323
Hallenbeck, J., see Shuaib, A., 149
Haring, R., Zukin, R.S. and Zukin, S.R., Photoaffinity labeling and binding studies reveal the existence of two types of phencyclidine receptors in the NCB-20 cell line, 92
Hasuo, H. and Gallagher, J.P., Facilitatory action of muscarine on the slow afterdepolarization of rat dorsolateral septal nucleus neurons in vitro, 234
Heinemann, Y., see Köhr, G., 43
Hess, A., The effects of monoamine oxidase inhibition and dopamine uptake blockade on MPTP-induced increase of 2-[^{3}H]deoxyglucose uptake in specific mesencephalic catecholaminergic nuclei, 7
Hisaon, S., see Kagotani, Y., 37
Homma, S., see Nakajima, Y., 59
Hood, W.F., see Monahan, J.B., 328

Ibata, Y., see Okamoto, S., 137
Ichikawa, H., see Yamamoto, T., 167
Imai, Y., see Yamamoto, T., 167
Inanami, O., see Adachi, T., 263
Inghilleri, M., see Berardelli, A., 54
Inoki, R., see Yamamoto, T., 167
Introna, R.P., see Martin, D.C., 99
Ishikawa, T., see Tani, E., 1
Ives, A.E. and Jefferys, J.G.R., Sychronization of epileptiform bursts induced by 4-aminopyridine in the in vitro hippocampal slice preparation, 239
Izumi, H. and Karita, K., The effects of capsaicin applied topically to inferior alveolar nerve on antidromic vasodilatation in cat gingiva, 65
Izumi, Y., Clifford, D.B. and Zorumski, C.F., Glycine antagonists block the induction of long-term potentiation in CA1 of rat hippocampal slices, 251

Jefferys, J.G.R., see Ives, A.E., 239
Johnston, G.A.R., see Allan, R.D., 223
Johnston, G.A.R., see Ong, J., 216
Juri, M.U., see Mironov, S.L., 184

Kagotani, Y., Hisano, S., Tsuruo, Y., Daikoku, S. and Chihara, K., Vasopressin-deficient paraventricular magnocellular neurons of homozygous Brattleboro rats synthesize neuropeptide Y, 37
Karita, K., see Izumi, H., 65
Karlsson, J.–O., see Blomgren, K., 179
Kato, M. and Young, Y.H., Effects of Eperisone on Renshaw cells of cats, 246
Kerr, D.I.B., see Ong, J., 216
Kettenmann, H., see Verkhratsky, A.N., 194
Khateb, A., Serafin, M. and Mühlethaler, M., Histamine excites pedunculopontine neurones in guinea pig brainstem slices, 257
Kim, K.S., see Kitaguchi, T., 155
Kimura, S., see Fujimori, A., 173
Kitaguchi, T., Wisniewski, K.E., Maslinski, S., Maslinska, D., Wisniewski, T.M. and Kim, K.S., β-Protein immunoreactivity in brains of patients with neuronal ceroid lipofuscinosis: ultrastructural and biochemical demonstration, 155
Koistinaho, J., Suramin-induced changes in sympathetic neurons: correlation between catecholamine fluorescence, tyrosine hydroxylase immunoreactivity and accumulation of pigment bodies, 19
Kokumai, S., see Tani, E., 1
Köhr, G. and Heinemann, U., Anticonvulsant effects of tetronic acid derivatives on picrotoxin induced epileptiform activity in rat hippocampal slices, 43

Labrie, F., see Tong, Y., 104
Lamour, Y., see Godefroy, F., 307
Latorraca, S., see Liguri, G., 338
Lehmenkühler, A., see Lücke, A., 190
Li, J., see Luo, P. 133

Liguri, G., Taddei, N., Nassi, P., Latorraca, S., Nediani, C. and Sorbi, S., Changes in Na^+,K^+-ATPase, Ca^{2+}-ATPases and some soluble enzymes related to energy metabolism in brains of patients with Alzheimer's disease, 338
Livett, B.G., see Geraghty, D.P., 276
Livett, B.G., see McIntyre, A., 269
Luine, V.N., see Goudsmit, E., 290
Luo, P., Li, J. and Rao, Z., A morphological analysis of neurons in the lateral parabrachial nucleus: an intracellular horseradish peroxidase study in the rat, 133
Lücke, A., Speckmann, E.-J., Altrup, U., Lehmenkühler, A. and Walden, J., Decrease of free calcium concentration at the outer surface of identified snail neurons during paroxysmal depolarization shifts, 190

Manfredi, M., see Berardelli, A., 54
Mantellini, P., see Evangelista, S., 352
Marciani, M.G., Santone, G., Sancesario, G., Massa, R., Stanzione, P. and Bernardi, G., Epileptic activity following 10 minute cerebral ischemia in Mongolian gerbils: an electrophysiological study, 48
Marksteiner, J., Ortler, M., Bellmann, R. and Sperk, G., Neuropeptide Y biosynthesis is markedly induced in mossy fibers during temporal lobe epilepsy of the rat, 143
Marley, P.D., see McIntyre, A., 269
Martin, D.C., Introna, R.P. and Aronstam, R.S., Inhibition of neuronal 5-HT uptake by ketamine, but not halothane, involves disruption of substrate recognition by the transporter, 99
Mascia, M.P., see Concas, A., 87
Maslinska, D., see Kitaguchi, T., 155
Maslinski, S., see Kitaguchi, T., 155
Massa, R., see Marciani, M.G., 48
Masuyama, K., see Tani, E., 1
Matsuo, R., see Yamamoto, T., 167
McGeer, E.G. and Zhu, S.G., Lamotrigine protects against kainate but not ibotenate lesions in rat striatum, 348
McGeer, P.L., see Yamada, T., 161
McIntyre, A., Zhou, X.-f., Marley, P.D. and Livett, B.G., Hypovolaemia can potentiate hypoglycaemic stress-induced adrenaline release in the anaesthetized rat, 269
McLarnon, J.G., Block by a putative antiarrhythmic agent of a calcium-dependent potassium channel in cultures hippocampal neurons, 210
Meli, A., see Evangelista, S., 352
Millar, T.J., see Cooper, E.J., 127
Miras-Portugal, M.T., see Torres, M., 343
Mironov, S.L. and Juri, M.U., Sr and Ba transients in isolated snail neurones studied with fura-2. The recovery from depolarization induced load and modulation of Ca release from intracellular stores, 184
Misawa, H., Ueda, H. and Satoh, M., κ-Opioid agonist inhibits phospholipase C, possibly via an inhibition of G-protein activity, 324
Monahan, J.B., Hood, W.F., Compton, R.P., Cordi, A.A., Snyder, J.P., Pellicciari, R. and Nataline, B., Characterization of D-3,4-cyclopropylglutamates as *N*-methyl-D-aspartate receptors agonists, 328
Musha, T., see Nakajima, Y., 59
Mühlethaler, M., see Khateb, A., 257

Nakajima, Y., Homma, S., Musha, T., Okamoto, Y., Ackerman, R.H., Correia, J.A. and Alpert, N.M., Dipole-tracing of abnormal slow brain potentials after cerebral stroke, 59
Nakamura, Y., see Chiba, T., 31
Nassi, P., see Liguri, G., 338
Natalini, B., see Monahan, J.B., 328
Nediani, C., see Liguri, C., 338
Nishikawa, T., see Tanii, Y., 318
Nozawa, Y., see Zhang, W., 199

Ohno, K., see Adachi, T., 263
Okamoto, S., Okamura, H., Takahashi, Y., Akagi, Y., Yanaihara, N. and Ibata, N., Contrary effect of eye enucleation on VIP-immunoreactive neurons in the suprachiasmatic nucleus and the superior colliculus of the rat, 137
Okamoto, Y., see Nakajima, Y., 59
Okamura, H., see Okamoto, S., 137
Ong, J., Kerr, D.I.B. and Johnston, G.A.R., Effects of potassium channel blockers on baclofen-induced suppression of paroxysmal discharges in rat neo-cortical slices, 216
Ortler, M., see Marksteiner, J., 143

Pelletier, G., see Tong, Y., 104
Pellicciari, R., see Monahan, J.B., 328
Pockett, S., see Shukla, H., 229
Prada, C., see Barat, A., 302

Rahmann, H., see Binz, H., 25
Ramírez, G., see Barat, A., 302
Ramos, M., see Barat, A., 302
Rao, Z., see Luo, P., 133

Renzi, D., see Evangelista, S., 352
Rogerson, F.M., see Geraghty, D.P., 276
Ruddock, K.H., see Dakin, S.R.G., 82

Saito, A., see Fujimori, A., 173
Sakai, N., see Zhang, W., 199
Sakiyama, S., see Chiba, T., 31
Sancesario, G., see Marciani, M.G., 48
Sanna, E., see Concas, A., 87
Santone, G., see Marciani, M.G., 48
Sarhan, H., see Godefroy, F., 307
Sato, A., see Adachi, T., 263
Satoh, M., see Misawa, H., 324
Senba, E., see Tani, E., 1
Serafin, M., see Khateb, A., 257
Serra, M., see Concas, A., 87
Shelley, S., see Goadsby, P.J., 282
Shuaib, A., Xu, K., Crain, B., Sirén, A.-L., Feuerstein, G., Hallenbeck, J. and Davis, J.N., Assessment of damage from implantation of microdialysis probes in the rat hippocampus with silver degeneration staining, 149
Shukla, H. and Pockett, S., A chloride channel in excised patches from cultured rat hippocampal neurons, 229
Sierralta, J. and Gysling, K., Effect of dopamine depletion upon the K^+-evoked release of CCK from superfused striatal slices, 313
Sirén, A.-L., see Shuiab, A., 149
Snyder, J.P., see Monahan, J.B., 328
Sorbi, S., see Liguri, G., 338
Speckmann, E.-J., see Lücke, A., 190
Sperk, G., see Marksteiner, J., 143
Stanzione, P., see Marciani, M.G., 48
Surrenti, C., see Evangelista, S., 352
Swaab, D.F., see Goudsmit, E., 290

Taddei, N., see Liguri, G., 338
Taglietti, V., see Toselli, M., 70
Takahashi, K., see Tanii, Y., 318
Takahashi, Y., see Okamoto, S., 137
Tani, E., Senba, E., Kokumai, S., Masuyama, K., Ishikawa, T. and Tohyama, W., Histamine application to the nasal mucosa induces release of calcitonin gene-related peptide and substance P from peripheral terminals of trigeminal ganglion: a morphological study in the guinea pig, 1
Tanii, Y., Nishikawa, T., Umino, A. and Takahashi, K., Phencyclidine increases extracellular dopamine metabolites in rat medial frontal cortex as measured by in vivo dialysis, 318
Taraskevich, P.S. and Douglas, W.W., Dopamine (D_2) or γ-aminobutyric acid ($GABA_B$) receptor activation hyperpolarizes rat melanotrophs and pertussis toxin blocks these responses and the accompanying fall in $[Ca^{2+}]_i$, 205
Ten Donkelaar, H.J., see Van der Linden, J.A.M., 121
Tohyama, W., see Tani, E., 1
Tong, Y., Zhao, H., Labrie, F. and Pelletier, G., Regulation of proopiomelanocortin messenger ribonucleic acid content by sex steroids in the arcuate nucleus of the female rat brain, 104
Torres, M., Fideu, M.D. and Miras-Portugal, M.T., All nucleoside transporters in bovine chromaffin cells are nitrobenzylthioinosine sensitive, 343
Toselli, M. and Taglietti, V., Pharmacological characterization of voltage-dependent calcium currents in rat hippocampal neurons, 70
Trotter, J., see Verkhratsky, A.N., 194
Tsuruo, Y., see Kagotani, Y., 37

Ueda, H., see Misawa, H., 324
Umino, A., see Tanii, Y., 318

Van der Linden, J.A.M. and Ten Donkelaar, M.J., Morphological evidence for a monosynaptic connection between cerebellar Purkinje cells and vestibulospinal tract neurons in the larval clawed toad, *Xenopus laevis*, 121
Verkhratsky, A.N., Trotter, J. and Kettenmann, H., Cultured glial precursor cells from mouse cortex express two types of calcium currents, 194

Wakisaka, S., see Yamamoto, T., 167
Walden, J., see Lücke, A., 190
Weil-Fugazza, J., see Godefroy, F., 307
Westerink, B.H.C. and De Boer, P., Effect of choline administration on the release of acetylcholine from the striatum as determined by microdialysis in awake rats, 297
Wisniewski, K.E., see Kitaguchi, T., 155
Wisniewski, T.M., see Kitaguchi, T., 155

Xu, K., see Shuaib, A., 149

Yamada, H., see Zhang, W., 199
Yamada, T., Akiyama, H. and McGeer, P.L., Complement-activated oligodendroglia: a new pathogenic entity identified by immunostaining with antibodies to human complement proteins C3d and C4d, 161

Yamamoto, T., Matsuo, R., Ichikawa, H., Wakisaka, S., Akai, M., Imai, Y., Yonehara, N. and Inoki, R., Aversive taste stimuli increase CGRP levels in the gustatory insular cortex of the rat, 167
Yanaihara, N., see Okamoto, S., 137
Yang, H.-Q., see Zaho, Z.-Q., 109
Yang, Y.H., see Kato, M., 246
Yonehara, N., see Yamamoto, T., 167

Zaho, Z.-Q., Yang, H.-Q. and Zhang, K.-M., Inhibition of nociceptive responses of dorsal horn neurones in the cat spinal cord by ohmefentanyl, a preferring μ opioid receptor antagonist, 109
Zhang, K.-M., see Zaho, Z.-Q., 109
Zhang, W., Sakai, N., Yamada, H., Fu, T., and Nozawa, Y., Endothelin-1 induces intracellular calcium rise and inositol 1,4,5-trisphosphate formation in cultured rat and human glioma cells, 199
Zhao, H., see Tong, Y., 104
Zhou, X.-f., see McIntyre, A., 269
Zhu, S.G., see McGeer, E.G., 348
Zimmermann, E., see Binz, H., 25
Zorumski, C.F., see Izumi, Y., 251
Zukin, R.S., see Haring, R., 92
Zukin, S.R., see Haring, R., 92
Zurhorst, Ch., see Binz, H., 25